

# KCB-23

CONTROL ROOM CONSOLE PROVIDER



# Parameter Configuration

Deduct the classic, always feel at ease and reliable

- **Luminous acrylic sheet**  
Luminous acrylic screen, can also print text or patterns upon request
- **Flip outlet**  
Acrylic plate clamshell outlet, optional multimedia panel power strip
- **Pneumatic lift receptacle (wireless charge/USB)**  
Select (wireless charging/USB) socket as needed, Aerospace aluminum alloy, PC fire retardant material
- **E0 environmentally friendly HPL veneer**  
With moisture resistance, heat resistance, scratch resistance, smoke resistance, no mold growth, easy to clean
- **Customized side panel luminous logo**  
Side panel pattern, exclusive appearance, (optional luminous pattern)
- **Ground lighting ambient lighting system**  
Colorful lines, technical ice blue lighting, vivid atmosphere  
DC LED strip, providing ambient lighting, multi-color adjustable




Customized side panel luminous logo

Configure the ambient lighting system

Professional large-capacity strong and weak cable management

High-strength 6063-T5 aluminum profile frame system



Large size bottom cabinet space

Natural cooling channel design



## Parameter Configuration

Deduct the classic, always feel at ease and reliable

- **Professional strong and weak current cable management**  
Adequate internal space allows wiring to be standardized, orderly, smooth, beautiful, reasonable, and safe
- **High-strength 6063-T5 aluminum profile frame system**  
Acrylic plate clamshell outlet, optional multimedia panel power strip
- **Large size bottom cabinet space**  
Through-type bottom cabinet space, large-sized installation space, convenient maintenance
- **Natural cooling channel design**  
The heat of the equipment inside the frame is discharged to the ambient medium, reducing the temperature of the equipment
- **Modular quick-loading design**  
Frame modular design, free layout

# Visual ergonomic design


## Efficient and comfortable office



### Visual relationship between console and large screen (for reference only)


The application of ergonomics, based on the scope of the staff's movements and activities, the physiological structure of the human body, the psychological situation, the way of thinking, etc., is based on the basic functions and performance of the original design of the console to optimize the equipment and functions, so that the workers can visit and use it very conveniently and comfortably.

## KESINO console provides users with The ideal workspace



Following world-renowned standards, we fully consider factors such as line of sight, viewing angle, and equipment to achieve the perfect unity of engineering, medicine, and design, providing better comfort.

- Take into account the operator's up and down, left and right line of sight distance is reasonable.
- The operating distance is designed according to a reasonable and comfortable distance.
- Help customers analyze the optimum viewing distance for large screens and the reasonable arrangement of the console.  
Make sure the staff sees the full screen.




# A variety of screens to choose from

## Free matching


Flexible, you can change the screen style on the console table according to your needs.



01 /  
Hanging screen style



02 /  
Hanging slot screen style



03 /  
Multi-screen desktop bracket style




Flexible.


Console can be changed upon request

Screen style on countertop.


① Groove screen




② Hanging screen




③ Multi-screen desktop stand screen



Groove screen Hanging screen Multi-screen desktop stand screen






Side panel appearance  
technology fashion  
Exclusive custom brand  
perception pattern

Colorful lines, technical ice blue lighting, vivid atmosphere  
DC LED strip, providing ambient lighting, multi-color  
adjustable

Example of side panel custom LOGO  
pattern:





(Examples are for reference only)

# Ambient lighting system

## Colorful lines, vivid atmosphere

Equipped with aluminum alloy screen + luminous acrylic plate  
Colorful lines, technical ice blue lighting, vivid atmosphere  
DC LED strip, providing ambient lighting, multi-color adjustable





## Leg anti-collision design

### Anti-kick function for more comfortable legs




With ambient lighting, it can accurately display the leg placement space  
Prevent the legs from colliding with the bottom cabinet

## E0 environmentally friendly HPL veneer

Peripheral polymer polyurethane hemming

It has excellent characteristics such as moisture resistance, heat resistance, scratch resistance, smoke resistance, no mold growth, easy cleaning, long service life, and surrounding polymer polyurethane hemming.





## Multi-function panel

The countertop is convenient to exit the line.  
Flip open, can be embedded in multimedia box




### Option one

Pneumatic lifting receptacle (wireless charge)



### Option two

Pneumatic lift receptacle (uSB charging model)






## Bottom cabinet space

Large size space for easy maintenance

500mm bottom cabinet space,  
It can accommodate 2 to 4 small mainframe boxes.




A set of bottom cabinet sizes

## Professional wiring process

### Short and smooth cable management system

1. The console is equipped with professional wiring channels to adapt to the overall system environment.
2. Adequate internal space allows wiring to be standardized, orderly, smooth, beautiful, reasonable, and safe.
3. It has the function of separating strong and weak electricity to avoid mutual interference
4. Optional standard 19-inch equipment rack inside,
5. Easy to install and route 19-inch standard equipment.







## Cooling system

### Natural air-cooled cooling system for improved efficiency


The console forms a heat exchange between the inside of the console and the outside air through the bottom air inlet hole and the top exhaust hole, and the heat inside the frame is discharged to the ambient medium, reducing the temperature of the equipment and ultimately achieving the same heat dissipation purpose as the ambient temperature.





corner layout


straight layout




curved layout

## Modular quick-loading design Free layout, easy to add modules



Arc Console




Linear 2-fold Console




10° Console




20° Console



30° Console




45° Console



90° Console

## Material description




### Main frame

The main frame and screen are made of 6063-T5 aluminum alloy profiles.

Adopt special connectors, with high connection strength and strong anti-deformation ability.

Corrosion resistance, acid and alkali resistance, never rust, life expectancy meets 20 years without deformation



### Structural member

The structure of the table body adopts high-quality cold-rolled galvanized steel sheet with a thickness of 2.0mm and an environmentally friendly spraying process, which has good yellowing resistance and surface flatness.




### E0 environmentally friendly


### HPL veneer

It has excellent characteristics such as moisture resistance, heat resistance, scratch resistance, smoke resistance, no mold growth, easy cleaning, long service life, and surrounding polymer polyurethane hemming.


Console size



Front view



Side view



Top view



Address: Lishuiqiao North Road, Changping District, Beijing (Beijing Branch)  
Funiu Road, Industrial Cluster Area, Tanghe County, Nanyang City, Henan Province (Factory)  
No. 329, Yushan West Road, Panyu District, Guangzhou City, Guangdong Province (Guangzhou Branch)

Service hotline: 4008313600  
Phone: 86-010-57204933  
Email: [bjkesino@126.com](mailto:bjkesino@126.com)  
Website: [www.bjkesino.com](http://www.bjkesino.com)

